


# Evaluation and Integration of OCP Servers from Software Perspective

**Internet Initiative Japan Inc.**  
**Takashi Sogabe**

# Who am I?

- Takashi Sogabe
  - @rev4t
  - Software Engineer, Internet Initiative Japan Inc.
  - Focusing
    - OpenStack
  - Involving
    - OpenContrail, mruby, Riak, etc.




# Who is IIJ?

- Network operator
  - Provision of Internet connectivity and WAN service
    - Dedicated line
    - Mobile
  - SEIL
    - Next generation router developed by IIJ
      - Customer Premises Equipment
      - <http://www.seil.jp/>
      - SEIL has a [SEIL Management Framework \(SMF\)](#) function for central management of various network functions
- Cloud operator
  - IIJ GIO
    - <http://www.iij.ad.jp/en/news/pressrelease/2010/0826.html>
    - IaaS, PaaS



# Ready-Made Data Centers

- co-IZmo/I
  - Container-Based Data Centers
  - <http://www.iiij.ad.jp/DC/en/products/index.html>




# Turn-Key Solutions for Hybrid Cloud

- Facility
  - co-lzmo/l
  - Conventional Data Center
- Racks, Servers, Switches
  - OCP
- CloudOS
  - OpenStack
- DCIM
  - (TBD)

# Components of the System

- Each component is replaceable
- Customers can also buy a part of the system




# PoC Environments

- Server
  - Winterfell, etc.
- JBODs
  - Knox, etc.
- Object Storage
  - Kinetic
- Networking
  - Cumulus, ARISTA, BROCADE

# OCP Servers

- Simple
  - Minimum amount of peripherals
    - No VGA port
    - No Optical drive
    - 1 NIC with a Mezz slot
    - IPMI/DCMI
  - Easy to replace parts





# Simple is better (1)

- Simple system leads to reduce time to boot
  - Winterfell
    - About 30sec
  - Conventional Servers
    - Over 120sec

# Simple is better (2)


- OpenStack Integration
  - No need to buy unnecessary peripherals
  - Improve the degree of freedom in a combination of servers such as Compute nodes and Storage nodes

# CloudOS


- OpenStack
  - Best way to deploy AWS-like IaaS
- Deployment Issue
  - hard to deploy OpenStack components
  - Commercial Distributions ease the difficulty
    - Metacloud, Mirantis, Piston, RedHat, etc.
  - TripleO (OpenStack on OpenStack)
  - Juju/MAAS



# Components need to be Clustered



# PoC Components



# Bare Metal Provisioning

- MAAS
  - Metal as a Service
  - Ideal for Ubuntu
- Cobbler
  - Suitable for other OS (RedHat, CentOS, etc.)
  - Used in OpenStack Distro (Mirantis, etc.)



# Juju

- Deployment tool
  - Similar to Chef, Puppet, Ansible, etc.
  - Works well with MAAS
  - App
    - OpenStack
    - Hadoop
    - Etc.



# Networking (1)

- Flat Network
  - Simple
  - Hard to scale out
- CLOS Topology
  - Scalable
    - ECMP forwarding balances flows
  - Need to overlay network
    - GRE, VXLAN, etc.



# Networking (2)

- Single Point of Management
  - Networking should incorporate the way of DevOps
    - Chef/Puppet/Ansible, CI
  - Automate everything!
  - Disaggregating hardware from software
    - We can use genuine Linux Distro
      - DevOps friendly 😊

# Networking (3)

- Server Switch
  - FBOSS and Wedge
  - Pluribus Networks F64 and E68-M
    - Server with Switch chip
- Eliminate the barriers between servers and switches
  - RTT-sensitive apps can be deployed in server switches rather than conventional servers

# Storage (1)

- Knox
  - High Density JBOD
  - 30 HDDs in a 2U chassis



# Storage(2)


- Seagate Kinetic

- Disaggregating HDDs from servers

- Key-Value Store API
- Protobuf with Ethernet

- Benefits

- Flexibility
- Scalability
- Efficiency



# Storage (3)

- Swift with Kinetic
  - <https://github.com/swiftstack/kinetic-swift>
  - Works well with OpenStack

```
$ swift-ring-builder kinetic.builder
kinetic.builder, build version 31
1024 partitions, 3.000000 replicas, 1 regions, 1 zones, 4 devices, 0.00 balance
The minimum number of hours before a partition can be reassigned is 1
Devices:  id region zone      ip address  port  replication ip  replication port      name
weight partitions balance meta
          7      1      1      127.0.0.1  6010      127.0.0.1      6010
10.174.251.101:8123  1.00      768      0.00
          8      1      1      127.0.0.1  6020      127.0.0.1      6020
10.174.251.102:8123  1.00      768      0.00
          9      1      1      127.0.0.1  6030      127.0.0.1      6030
10.174.251.103:8123  1.00      768      0.00
         10      1      1      127.0.0.1  6040      127.0.0.1      6040
10.174.251.104:8123  1.00      768      0.00
$ swift upload mycontainer test
test
$ swift download mycontainer test -o -
awesome
$ for i in {1..4}; do kcmd -H 10.174.251.10${i} list objects; done
objects.202f47d75a808c212d43c6dda051f39c.1407379571.83189.data.89a32569-fbbf-4ad3-8e8a-f46e1d632cbb
objects.202f47d75a808c212d43c6dda051f39c.1407379571.83189.data.dd7a79e0-3c92-43fb-937a-10fd11a28c32
objects.202f47d75a808c212d43c6dda051f39c.1407379571.83189.data.df9f0a7f-d2da-4d52-aa06-55e96a1fdcd7
```

# **TIPS FOR OCP DEPLOYMENTS**

# IPMI Issues

- Need driver support for IPMI device on OCPv2 Windmill
  - <https://bugs.launchpad.net/opencompute/+bug/1156667>
- Workaround
  - Additional kernel options

```
maas root tags new name='winterfell' comment='winterfell' ¥
definition='//node[@class="system"]/vendor = "Wistron"' ¥
kernel_opts='console=ttyS4 mei.blacklist=yes mei_me.blacklist=yes'
```

# In-band Management

- Useful Information

- <https://wiki.ubuntu.com/OpenCompute>

```
$ sudo apt-get -y install build-essential debhelper dkms bzip2 libssl-dev
$ bzip2 branch lp:opencompute/mei
$ bzip2 branch lp:opencompute/dcmitool
$ bzip2 branch lp:opencompute/dcmi
$ cd mei
$ fakeroot dpkg-buildpackage -us -uc
$ cd ../dcmitool/dcmitool-1.8.10
$ fakeroot dpkg-buildpackage -us -uc
$ cd ~/dcmi
$ fakeroot dpkg-buildpackage -us -uc
$ cd ~
$ sudo dpkg -i mei-dkms_7.1.21.4.S_all.deb dcmi-dkms_2.1.6.28.MEI_all.deb
$ cd dcmitool
$ sudo dpkg -i dcmitool_1.8.10_amd64.deb
$ sudo bash
# echo "dcmi" >> /etc/modules
```



# Summary

- We are developing container modules for IT users all over the world
- Users can have benefits by incorporating OCP design
- Disaggregation is a key factor to improve DevOps